

6 Driving The Corvette Across The USA

It's characteristically American—the urge to travel. As American as our ongoing affection for fine cars. How appropriate, then, to explore the country—ocean to ocean, forest and prairie, metropolis, village and town—from behind the wheel of a Corvette.



12 Corvette Performance Engineering



From individual runners connecting air intake ports and cylinders to Bosch ABS II anti-lock braking to fiberglass skins, every system, every component is engineered to achieve a singular objective: making Corvette a world-class sports car. The proof is in the numbers: Test track performances of zero to 60 in 5.6 seconds, lateral acceleration of 0.91s.

18 Corvette Coupe

Performance, aesthetics, heritage, technology, progress, comfort, innovation. The distinctive silhouette of the Corvette Coupe embodies all at a glance.



28 Corvette Convertible

Open to wind, open to sunshine, open to the stares of those consigned to lesser motor cars. The high-energy, attention-grabbing Corvette Convertible is at once an adventure and a work of art.



40 Corvette Competition

GTO, GTP, SCCA—pick a racing series that includes Corvette and chances are you'll see specially modified Corvettes in competition. Event after event, Corvette proves itself as much a success on the track as it is in the affections of those who love fine cars.

THE CORVETTE MISSION

6
DRIVING THE
CORVETTE ACROSS
THE U.S.A.

12 CORVETTE PERFORMANCE ENGINEERING

18
THE CORVETTE
COUPE

28
THE CORVETTE
CONVERTIBLE

34
BUILDING THE
CORVETTE

36 STANDARD FEATURES

38 OPTIONAL EQUIPMENT

40

CORVETTE COMPETITION



THE 1953 CORVETTE THE BEGINNING OF A LONG. PROUD TRADITION, CRE-ATED A SPORTS CAR THAT WAS BOLDLY AND DISTINCTLY AMERICAN.



testified to the promise that is America, a vision articulated more than 200 years ago by Letters From an American Farmer, published VITAL READOUTS INTERin 1782. To paraphrase: One...no sooner FACE WITH THE THRILL OF breathes our air than he forms new schemes THE OPEN ROAD IN THIS ... begins to feel a sort of resurrection ... and ARTIST'S INTERPRETATION embarks on designs he would never have OF THE 1987 CORVETTE INSTRUMENT CLUSTER. thought of

There's always been something special about Thus, when the concept of 'sports car' came the American experience, A sense of optimism. home to America after World War II. it. too. perhaps; a spirit of independence, and the begged for translation into the local idiom. vitality born of hope. Generations of writers, Usually, something gets lost in such a redefianalysts and, most especially, immigrants have nition, but, in typically American fashion, the later, the western sea. term "sports car" gained in several respects.

First, it became a car that a tall person Hector St. John de Crèvecoeur, writing in his could get into without feeling forced into a did not begin by copying or playing catch-up. torture machine. It was a vehicle that did not induce claustrophobia in city traffic. Yet this machine exuberantly greeted the long, level openly and proudly proclaimed itself American. straights from the Mississippi to the Rockies as a welcome portion of the 3,000-mile New a grillwork mouth of bared teeth. The lateral York to Los Angeles trip.

dered, democratic country that spread its arms of Paul Bunyan and Babe, his famous blue ox. wide enough to encompass vast distances and At the last: The suggestion of a tailfin (where embrace diverse peoples.

The answer, since 1953, to America's Corvette.

invite one to spend energy driving it, not

Most of all. America's sports car had to have nothing to apologize for It had to hold its head (and reputation) up among the most prestigious from across the eastern ocean and,

These were the desiderata when Corvette embarked upon its mission in 1953. Corvette Rather, the 53 Corvette, like all its descendants, was a bold, original statement that

The frontal stance: Wide-eved, fearless, with aspect: Strong curves, not delicate enough to In other words, a car for a broad-shoul- become tenuous, but with the powerful grace Corvette led, others followed).

Philosophically Corvette hasn't changed in demand for a native sports car was and is 34 years. Mechanically everything has changed. Well, yes, the wheels are still round, but Cor-To qualify for this lofty position, Corvette vette's march of technical progress has been had to be-and not be-many things. It could constant and inexorable: The V8 engine of not be a mere badge of the wealthy, so capri- 1955, its mutation into the famous 283 cubic clous it required the constant attentions of a inches of 1957 with the Rochester fuel-injection mechanic to keep it running. Rather, it had to option, on to the legendary 454, and down to encourage sports car driving as an everyday the current 350 V8-5.7 Liter in more conhabit. It could not be an arbitrary mechani- temporary parlance-with Tuned-Port Fuel cal complexity assembled into an awkward. Injection, an engine that has earned the same uncomfortable package as were so many of respect and affection that the classic 283 with its European antecedents. Instead, it had to "Ram-Jet" Fuel Injection did 30 years ago.

And along the way: a 4-speed manual transfighting it. Additionally, it had to be depend- mission in 1957, a fully independent rear susable, ready to go and able to stay that way, pension in 1963, disc brakes all around in

1965, a 3-speed Turbo Hydra-matic in 1968, the addition of Bosch ABS II anti-lock braking in 1986. And for 1987, every Corvette receives new aluminum cylinder heads.

However laudable the technical progress, though, people who form "new schemes" demand more. A sports car is also a work of art that must lead and elevate as it satisfies.

The original 53, marrying the long-hood tradition of in-line engines to tailfins reflective of recently discovered supersonic speed and the first swept-wing jet aircraft. The Sting Ray of 1963, in its convertible and "fastback" coupe models, summarizing the early maturity of sports car awareness-lean, low, sleek, and looking fast while standing at a curb. The voluptuous 1968 model as the full articulation of that consciousness. And beginning in 1984, the progressive, windcheating forward wedge taking sports car design into the future. As in its technical elements, Corvette styling has always been a proof of excellence.

Europe has been, and remains, many peoples and places separated by discrete boundaries, languages and customs. America is many things, too, but underneath it is a unity born of individual freedom, Corvette was born to suit the experience that is America -and let Europe take what view it would. Literally and figuratively, for 34 years, that view has primarily been of the taillights.

And throughout all, Corvette, in essence and in spirit, remains true to its mission. America's own sports car.



BY 1957 CORVETTE HAD ALREADY BEGUN TO ESTABLISH ITSELF AS AN INNOVATOR IN THE ENGI-NEERING ARENA. THIS AD-VERTISEMENT ANNOUNCED THE ROCHESTER FUEL-INJECTION OPTION A FIRST ON AN AMERICAN PRODUCTION CAR.




S. é sees. But the really fastastic item about the new Corvette is not the fuel injection engine, the new four-speed gearbox,* the alingshot acceleration or the pasted-to-the-road stability. It is the fact that the Corvette, above all other high-performance sports curs in the world, is a true dual-natured vehicle. It is a This is something like a punther with a St. Bernard's disposition. Quite a trick, but refert a pet! But, in case you may have polite doubts about the Corvette's union

ness, we have an easy religital: Drive one! In point of fact, we have no further entirement. If you can spend half an hour in the deep-cushiosed comfort of a Corvette's cockpit, if you can sample the crispner of its controls, the verseity of its 16 to 1 steering, the incredible crescendo of its performance—and remain unshaken—you are mighty close to being unique, Frankly, very few drivers escape the feeling that this is one of the authentic great mon of motoring-and those few are not warm to the touch! . . . Cherolet Dission of General Motors, Detroit 2, Michigan.







PRECEDING PAGE: WELCOME TO MANHATTAN. HOME OF GLAMOUR, COM-MERCE, FASHION, ALWAYS COSMOPOLITAN, ENDLESSLY EASCINATING-WHEN IT'S NEW YORK, ANYTHING GOES!

ONE LAST LOOK AT THE BIG APPLE, PROBABLY THE MOST FAMOUS URBAN SKY-LINE IN THE WORLD. SERENELY REMOVED FROM THE HUSTLE OF THE STREETS, MISS LIBERTY STANDS BEFORE AMERICA . JUST AS SHE HAS FOR A HUNDRED YEARS.

AN AMERICAN INSTITUTION -THE TRUCK STOP ALTHOUGH THIS ONE HAP-PENS TO BE IN IOWA, THE RUMBLE OF THE BIG RIGS. THE BITTER COFFEE AND THE CAMARADERIE OF FEL-LOW TRAVELERS ARE THE SAME EVERYWHERE.



TODAY MEETS YESTERDAY IN AMISH COUNTRY NEAR LANCASTER, PENNSYLIANIA. DESPITE THE PRESSURES AND TEMPTATIONS OF CONTEMPORARY SOCIETY. THESE PEOPLE CLING TO A SIMPLE, CLOSE-KNIT WAY OF LIFE.

AN OLDER GENERATION CORVETTE AND THE CON-TEMPORARY ROADSTER. EVEN IN MURDO, SOUTH DAKOTA, WHERE THEY LIKE TO COLLECT THINGS, PRIDE OF CORVETTE OWNERSHIP IS FULLY IN FORCE



There are lots of ways to see America. The pioneers did it the slow way-by covered wagon. Jet pilots do it in a supersonic manner-two hours coast to coast at 70,000 feet.

But there's no better way to see America than by convertible. The Corvette Convertible, to be exact. In a leisurely trek from the concrete spires of Manhattan to the tinsel trappings of L.A. Top down.



machine that, more than any other, embodies the American dream.

Because it's a funny thing about Americans. We'd always rather be someplace else. Not arriving, really, just going. Traveling. Turning the magic place names-Susquehanna, Ogallala, Medicine Hat, Wall, Gila Bend-into places we've seen and heard and experienced for ourselves.

Have you ever noticed how the sky changes as you move across the country? From indigo to azure to ultramarine. Interrupted by hills and trees in the East. Gradually opening to horizon-to-horizon panoramas as you drive westward.



IN THE BADLANDS, WIND AND FROST AND RAIN HAVE CARVED OUT A MOONSCAPE OF STEEP CANYONS AND SHARP RIDGES AND GUL-LEYS AND SPIRES AND KNOBS, SOME OF THESE ROCKS DATE BACK 37 MILLION YEARS.



NEEDLES, SOUTH DAKOTA. NAMED FOR THE SHARP PEAKS THAT JUT UP FROM THE GRASSES OF THE GREAT PLAINS, HOME OF PRAIRIE DOGS AND BISON: HOST, BRIEFLY, TO

AMERICA THE VAST WHERE ROADS THAT STRETCH STRAIGHT TO THE HORIZON ARE AN IDEAL AND INVIT-ING PROVING GROUND FOR THE POWER THAT PULSES THROUGH CORVETTE.



You'd think the sky is the sky everywhere. But people who've grown up under unbroken western vistas feel hemmed in when they travel eastward. And those who like their sky in bits and pieces gaze 360°, shiver a little and say, "There's too much sky," when they go out West.

In the Corvette Convertible you do more than travel under the sky. You become part STILL ARE REAL COWBOYS of it. With nothing between you and the changing face of America...the pungence of freshly turned farmland...the wind blowing from Idaho to Indiana... the Rockies thrust up along the spine of the continent deserts spread over endless arid miles.

Before long the car assumes the aura of its occupant. Temperature and airflow set to particular preferences. Favorite traveling music modulated precisely. A sweater tossed aside.

When you climb aboard after a brief rest stop, you simply assume everything will be as you left it. After all, you and the Corvette form a private world.

Private but never anonymous. Not in this car. From urban streetside to rural truck stop to western national park, the roadster draws a crowd. Murmurs of approval follow. Children dash excitedly from nose to spoiler as young couples grip hands and promise each other, "Someday." Everybody recognizes the Convertible. Most want to touch it as if a piece of The Dream might rub off. And as the machine speeds into the distance, admiration for its beauty mixes with the wish to be going anywhere in the envious glances of those left behind.

Maybe that's because America and cars



THE WILD WEST STARTS AT WYOMING, AND THERE HOME ON THE RANGE.

ELEGANCE REIGNS AT THE BROADMOOR IN COLORADO SPRINGS. THE PACE IS GEN-TLE. THE SERVICE IMPEC-CABLE, JUST AS IT HAS BEEN SINCE 1918.





IF SEDONA, ARIZONA. COUNTRY LOOKS FAMILIAR. IT'S PROBABLY BECAUSE YOU'VE SEEN IT BEFORE. EVEN IF YOU'VE NEVER BEEN THERE, MANY A POSSE CHASED MANY A DESPERADO THROUGH THESE VALLEYS AND CANYONS-ON THE SILVER SCREEN.

TAOS, VISITED BY THE CON-QUISTADORES IN 1540. IN 1615. FIVE YEARS BEFORE THE PILGRIMS SET FOOT ON PLYMOUTH ROCK, THE SPANISH COLONIZED THIS AREA, LEAVING AN IMPRINT THAT REMAINS TO THIS DAY.



and roads grew up together. Driving isn't America is. How much diversity there is an add-on here like it is in most of the in the landscapes. How many peoples and world. It's an integral part of what this traditions have shaped and changed the

Yet there's timelessness to be found in the map tells you you're still only halfway America, too. The kind you discover on a across, you realize in an empirical, seat- high mesa at midnight, awed by the bril-

Silence.

nation we call home.



Soon the roadway beckons and not long after, you stand at the rim of the Pacific, this journey at an end.

Although...


A moment's reflection...a tug at the psyche...and you're reaching for a road map...

Issaquah, Manitowoc, Sweetwater. Red Wing, Greencastle, Manistique....

> HOL-LY-WOOD ... HOME OF SOUTHERN BELLES AND DANCING BEARS AND LIGHTS! CAMERA! ACTION! ON THIS SET THE BIG STAR IS CORVETTE.









TORQUE SPECIFIES HOW HARD THE ENGINE TWISTS ON THE DRIVE SHAFT AS THIS CHART DEPICTS. CORVETTES PEAK TOROUE OF 345 INDICATES A BROAD USABLE POWER RANGE.

POWER TEAMS

meant living up to high-performance aspira- the wheels. Corvette's system begins with a a duct leading to a louvered plenum-type air tions, Of course, the definition of performance Bosch Mass Air Flow Sensor. This means a cleaner behind the front facia supplies air to has changed markedly over the years-from hot wire sensor holds an electronic finger to the engine. That helps keep the aero numthe first three-carburetor six-cylinder of 1953, the wind to determine air mass by measuring bers impressively low. through the original VB of 1955, and on through temperature changes in the hot wire caused Corvette's aluminum cylinder heads reduce a series of horsepower behemoths, culminat- by different amounts of air passing over it. the weight of the engine (less deadweight ing in the 454.

The demands of the '80s are, once again, each operating second and relayed to the Elec-cooling, Here "cooling" really means temperdifferent and can be summarized in a single tronic Control Module (ECM) component of ature management, for a consistent, even word: efficiency. That is, to extract maximum
Corvette's Computer Command Control. Simul- engine temperature translates into longevity. energy from a given measure of fuel, while taneously, the ECM logs its hand on the engine reliability in sustained high-RPM operation, minimizing energy loss. Fortunately, fuel cri- to see whether it's cold, hot or in between. and improved combustion. ses and emissions controls constitute not the Then, the ECM meters the air/fuel mixture to end of performance, but challenges to be met. suit the exact circumstances, from an oxygen- from the engine to a dual exhaust system care-

5.7 LITER V8 WITH TUNED-PORT FUEL INJECTION (TPI)

But first things first. Namely, the heart of Cor- and length of the cyclic waves of air moving the car. vette performance-today's manifestation of through the induction system, "stuffing" the You can see many engineering considerathe timeless small-block VB.

features 90° VB design, overhead valves and gleaming cast-aluminum air plenum to meet too. For example, ultraprecise machining and an over-square, short stroke configuration its assigned cylinder on the opposite bank. Iftuing of internal parts allow the use of lower (bore 4.00, stroke 3.48) with a compression ratio of 9.5:1. Copper core spark plues, low- a tiny piezo electric quartz sender in the cyl- on the way from the fuel tank to the wheels. friction roller valve lifters, ball-tip push rods, inder block, senses the early stages of detooctane in the fuel.

From those basics, the Corvette's power- perature or other conditions.

This data is monitored more than 100 times to move) even as the heads enhance engine rich coastal highway to the oxygen-lean atmo-fully engineered to fit the undercarriage con-

over, coordinating, or "tuning" the size, shape, cylinders with air. Each runner, individually tions manifested in the appearance of the vehi-Displacing 5.7 liters (350 cu. in.), this engine tuned to each cylinder curves 180° from the cle, but little things you can't see mean a lot.

sphere of an 11,000-foot mountain pass.

plant is modified to meet contemporary engi- For another contemporary response, aeroneering requirements. Tuned-Port Fuel Injection dynamics. Certainly Corvette has a highly aerofor clean, complete combustion, for one exam-dynamic body (its drag coefficient registers a ple, and advanced aerodynamics for another slippery 0.34). But Corvette also exploits aero- A sports car should be fun to drive, not because Because a typical engine uses up a por-dynamics in places where it doesn't show spe- it keeps the driver busy pumping a clutch pedal

Port Injection lets fluid dynamics do much of air into the engine, Notice there's no grille to To be the engine of a Corvette has always this work, leaving more energy available at interrupt air flow around the vehicle. Instead,

To exhale, stainless steel headers carry waste figuration. The fact that the catalytic converter That's where the tuned port runners take - tucks up under the drive-shaft channel beam contributes to the low cowl and hood line of

Concurrently, Electronic Spark Control, using viscosity 5W-30 oil. Again, less energy wasted

one-piece oil pan and crankshaft seal are nation caused by heat, humidity or low octane basic a one as improved seals and gaskets to included, as well as Electronic Spark Control level. The ECM then retards spark a precise eliminate oil leaks, illustrate the kind of pre-(ESC) to tailor spark advance to the level of amount. The result is combustion optimized cision engineering that allows a production regardless of altitude, humidity ambient tem- Corvette to compete in a grueling SCCAsanctioned 24-hour endurance race.

HORSEPOWER AND TORQUE

tion of its own power just sucking in air Tuned-cifically in the plumbing pathways that admit and rowing a gear lever, but because, like John

Herry's hammer, it does what its driver tells TRANSMISSIONS


engine is just such a response. Think of it, if gear overdrive or the no-cost-option 4-speed so engine speed is optimized, whether poweryou like, as a powerful 10-speed cyclist who manual. Both the automatic and the manual ing through a curve, slogging through concan go quickly from the lowest speed to the have oil-water heat exchangers and alumi- gested city traffic or following those long highest. Rapid torque rise means no lagging num transmission housings. Aluminum con-western straightaways right into the sunset. when leaving traffic lights, no vacillation about tributes to rapid heat rejection (i.e., cooling). On yes, the bottom line on Corvette perforbrward motion when shifting to the next higher Efficiency of cooling protects the transmis- mance: zero to sixty in 5.6 seconds, lateral sear Yet, with maximum torque occurring as sion oil from degradation; that helps protect acceleration of 0.91e* early as 3,200 RPM, the engine need not be - the bearings, gears and synchronizers when run up to the redline for every upshift.

Horsepower comes from and relates to track abilities. torque, 240 peak horsepower at 4,000 RPM and a peak 345 lbs.-ft. of torque at 3,200 missions presume driver control. While the RPM mean an engine with a broad usable

This broad range combines with a choice of unit. With overdrive in the top three gears, The steep, rapid "torque rise" of Corvette's transmissions-standard automatic with 4th the manual gives a choice of seven gear ratios a Cornette exercises its acceleration and race-

> As with Corvette's other features, the transstandard automatic shifts itself as smoothly

can dictate precise commands to the manual



"Achieved on the test track by professional drivers. Corvette Coope equipped with optional Z51 Performance Handling Package, 3.07.1 performance axle, 4-speed as a dancer executes an arabesque, the driver manual overtine transmission, P255/50VR-16 tires.

AN ENGINE IS KNOWN BY HOW RAPIDLY IT CAN CON VERT ENERGY INTO MOTION OF A GIVEN VELOCITY. CORVETTES ACCELERATION FIGURES COMPARE FAVOR-ABLY WITH THE BEST FROM THE REST OF THE WORLD.



THE HEART OF CORVETTE PERFORMANCE-THE 5.7 LITER VS WITH TUNED-PORT FUEL INJECTION.



HANDLING

Engineering innovation for Corvette has lives where the tires meet the road. shown the way to a true American sports car for more than 30 years.

for an encore?"

Answer: The Bosch ABS II anti-lock brak- life, thus mastering the high-performance/ ing system, integrated with 4-wheel discs, longevity dilemma in favor of both criteria. a significant development in automotive Finally, a tire that's quiet at highway speeds. technology

ANTI-LOCK BRAKING SYSTEM

ABS II, developed for Corvette by Bosch, is directional steel-belted radial mounted on a computer-controlled system. This state-of- 16*x8\(\frac{1}{2}\) aluminum allov wheels (16*x9\(\frac{1}{2}\). the-art technology is applied automatically on Convertible). should the driver call for braking beyond normal tire/road interface capabilities.

wheels. This control unit "watches" each SUSPENSION wheel, noting its rate of deceleration and How well those tire patches stay on the comparing it to a calculated reference speed. ground, while at the same time responding Should a wheel begin to rotate too slowly- to shifts in the center of gravity as the car i.e., if it begins to lock up or develop too accelerates, maneuvers and stops, depends high a slip rate—the ABS II system momentarily releases brake pressure at that wheel. beyond the simple task of absorbing bumps. Front wheels are controlled individually, rear wheels as a single unit. When the sen- and (inertia) management, Corvette employs sor determines that the wheel is no longer upper and lower A-arms of forged alumiapproaching lockup, pressure is reapplied - num up front and five coordinated links at to maintain braking.

Il can adjust brake pressure as rapidly as forged from aluminum. Tied to transverse 15 times per second, a rate even the most - front and rear monoleaf springs, which are skillful professional driver cannot attain. made of sophisticated filament-wound glass When the pedal is pressed hard enough to in an epoxy matrix, these components help activate the anti-lock function (pressure assure minimal loss of traction during hard hard enough to cause normal brakes to lock acceleration or braking. up), the driver can feel ABS II pulsing.

spotting of tires, while helping assure smooth Here the monoleaf spring acts as a stabistops in most types of road conditions. A lizer bar The reason is simple enough: Visusystem that allows the driver to apply the alize the leaf spring trying to bend itself brakes without wheel lockup. A system that into an S shape as the body leans. It's the provides improved control even with one spring's resistance to bending into an S wheel on a soft shoulder and the other on shape that helps minimize roll. That also firm pavement.

In a Corvette, if pure science prevails to weight built into the car.

control going and stopping, absolute magic

A tire that approaches 0.91g lateral accel-"So what," the cheering fans ask, "is left eration on the skidpad. A tire that's V-rated. A tire designed to deliver impressive tread Enter the Goodyear Eagle P255/50VR-16, developed through the joint efforts of Goodyear and GM engineers. A uni-

Four patches of rubber designed to keep the car on the road in virtually any con-Whenever braking begins, wheel sensors dition-in tight curves, during rapid decelautomatically inform the Bosch ABS II com- eration-over surfaces as diverse as tableputer of the rotational velocity of the four smooth interstates and potholed city streets.

To fulfill the multiple demands of weight the rear. These locate the wheels in the When called upon to do so, Bosch ABS proper planes. Knuckles and struts are also

Then there's roll to consider. As the car The result: A system that prevents flat enters a turn, it naturally wants to lean, means the actual stabilizer bars can be skinnier and lighter, which translates into less

Steering? It's a rack-and-pinion setup that THE 1987 CORVETTE COUPE rides ahead of the front axle, helping lower Naturally, the specifications are exacting: the engine. The system responds with virtually no lag.

> The sum of all this technology proves a bonus: a car as surefooted as a mountain goat and as agile as a cat, a car that provides not the false security of insulation but gives the genuine security of involvement with the capabilities of the car.

UNIFRAME

Yet another element is necessary, of course, A skeleton to suspend the wheels and tires. to contain the seating package, to cradle the engine and drive train.

In Corvette's case that means a uniframe or space frame, which for two reasons is special, (a) It's made of relatively thin sections of sheet steel spot-welded together. and (b) the fiberglass skins, in contrast to a conventional unitized body, are like the semi-monocoque system characteristically used in airplanes.


The concept involves marrying the uniframe or upper structure and the frame into a single unit. (In previous designs the birdcage was perched atop frame rails on rubber body mounts; the current generation Corvette has eliminated this heavy, bulky ladder-type frame.) Integrating the body/ frame structure is more cost-efficient than older concepts. Even more important, it results in a stiffer, better structure underpinning the car.

WITH MANUAL TRANSMIS-SION ACHIEVES A LATERAL ACCELERATION OF 0.91G† ON THE SKIDPAD.



SHOWN BELOW COPUETTES 5.7 LITTER UR ENGINE WITH TPL GOODYEAR P255/50VR 16 TIRES, FOUR-WHEEL INDE-PENDENT SUSPENSION AND BOSCH ARS II BRAK-ING COMBINE TO PRODUCE QUICK ACCELERATION AND SHORT STOPPING

AT EVERY PYLON IN A SLALOM, THE G-FORCES SHIFT FROM ONE SIDE TO THE OTHER, CORVETTES SUSPENSION CONTROLS THE WEIGHT SHIFTS, AND ARS II ALLOWS USE OF THE BRAKES HALFBAY



†Achieved on the test track by professional drivers. Corvette equipped with 4-speed manual overdrive transmission, optional Z51 Performance Handling Package and 3.07:1 axle ratio.





Even before the shape was determined, the goal was clear.

Create a form that fully assimilates engineering mathematics with aesthetic values: that demonstrates at one time, subtle brutality and sensitive balance; that clearly expresses the singular heritage and continuing purpose of the Corvette.

The stanning attainment of that objective is obvious in the palpable presence created by this vehicle. Line and nuance converge in a distinctive silmenter enhancement in the terrogen of motion. The machine's snarling posture recalls performance and handling capabilities at a glance As a car celebrating excitement. Corrette is a three-dimensional sculpture that Is first and always a work of always always

Like all good design. Convette directs the very soan in delible sequence. The very sound to contours of the reflined bodywork. The aggressive quality of the cruching stance. The forward thrust of the wheel-oriented fuselege. The aerodynamic efficiency of the lowered nose. All in an expanding wedge that rises from front facia, over sweeping chanshell bood, past dramateally raked windshield and sloping roof line, to cultinate in the sharp all upper structure and four circular taillights that bespeak continity with past Correctes. Note, too, the interplay of other elements. Integrated log and cornering lamps. Hidden halogen headlights that tumble forward 162.5 degrees as they emerge. Frameless rear glass hatch. One-piece roof panel that lifts off to open Corvette to sun and stars.

Ittis off to open correcte to sun and stars.
All defined in an envelope with width
sufficient to dominate, uninterrupted save
for a single horizontal groove that houses
the body side moldings while inviting the
eve to follow the unbroken flow of the ear.

A further word about ways in which the Corvette Coupe integrates design and engineering into a motorcar that celebrates both.

As a bottom broather, the engine is cooled july in law in the second the nose of the vehicle. With the forward movement of the carjudy in the property of the engine of the carlead area that contributes to an impressive coefficient of dray. The high rear deed, and integrated spoiler are similarly efficient increasing downward pressure on the driven wheels, helping improve road adhesion and directional court. Vertical all Islanbes located behind the front wheel cutous reduce from each if while at the same time, accounting the striding quality of Corvette's character with Deroell areas.

Yet for all its refinement, Corvette is distinctly American, in the exuberance of its appearance, the enthusiasm of its performance and the fact that our experience demands a measure of comfort and practicality be built into the car.

Accordingly, the package evolved from the inside containd, around the sealing space for driver and passenger. In this total driving environment, segmented seal designaing the chairs to mod and conform to the contains of individual occupants. The application of suphisticated enganomics, including a standard till-telescopic seering whech integrates ma beautifully with machine.


Recogniting that the occipit is a mobile workplace, Corvette provides advanced driver information systems. Besides relaying essential data from the complete electronic communications center flyuel displays fulfill another of the essential criteria by which one may determine the success of the design function—that in continuation nature expresses the special character of the age in which we fire.

Above all, from every angle, Corvette is a car that begs to be driven. That fact, especially testifies to the ultimate and successfull marriage of form with function that has always been, and will continue to be, unmistakably Corvette.



CORVETTE CELEBRAIES
THE INTEGRATION OF ENGINEERING INNOBATION
WITH DESIGN EXCELLENCE
EVERY LINE CONTRIBUTES
TO THE CARS CHARISMA.
CREATING A SHAPE THAT
APPEARS TO STRIDE:
FORWARD EVEN WHEN
CORVETTE IS STANDING
AT THE CURB.









Inspiration is a rare quality these days, in a world where artifice too frequently passes for substance.

Even more remarkable is the coalescence of disparate disciplines in a single form.

Enter the Consulta Convertible, demon-

Enter the Corvette Convertible, demonstrating the results of inspiration in every component, system and line.

Here is a motorcar that attains the deft integration of advanced engineering technology with contemporary design principles. As appropriate to a roadster of this calibre, the comfort of driver and passenger is assigned utmost importance.

Yet for all its hurry and craftsmanship, the Corvette Convertible is no sterile exercise in styling or ergonomics. After all, this is a sports car—swift, free-spirited—combining all the Corvette virtues with the ability to open up completely to the rush of windy sunshine and the exhibitation of sky arching horzon-d-horzon overhead.

In reality, the appearance of the Corvette Convertible is something of a re-event. For the Corvette began as a ragtop, back in 1953. And it was offered as such, in a variety of body styles, for 22 years.

But times and driving needs change. So in 1975 the lid closed over the cockpit. Forever, or so it seemed.

Which makes this return to open-air driving, more than a decade later both a memorable event and an excursion into prestige motoring.

For make no mistake. The Convertible is every bit as much a technological accomplishment as its companion, the Coupe.

Incorporating the Bosch ABS II anti-lock braking, four-wheel independent suspension, power rack-and-pinion steering, unidirectional Goodyear Eagle P255/50VR-IC tires, and 5.7 Liter VB powerplant that make the Corrette a world-class sports car. With modifications necessitated by the

loss of the roof to resin both the structural integrity of the vehicle and its civilized ride. A large, rigid X-member stretching under the passenger compartment, for example, and latter front and real racing. Sophisticated computer modeling also resulted in beded up torque boxes; even stronger, spring-loaded wedge pins were

specified for the doors.

Essential changes, to be sure, contribit. uting significantly to the car's taut yet flexible ride and handling.

But only when the top is lowered can the personality of the Corvette Convertible fully emerge.

That's when you start to smile a lot as wind and thrill and sunlight completely rearrange your hair.


There's no unsightly boot or unkempt bulge to mar the passage of this roadster. The top stows neatly under a back panel which locks back in place. Completely flush with the distinctive Corvette silhouette.

Go ahead. Laugh out loud, if you like. This is the jole de motoring at its finest. Rewarding rumble of the engine... air swirling and streaming... light assuming substance as it flows down over the door sills and curis around your legs. As sounds, no longer isolated, spill over you, making you and the world and the vehicle—one.

The Corvette Convertible. An inspired motoring experience in America's premier sports car.



GO AHEAD. IMAGINE YOURSELF WRAPPED IN SOFT RED LEATHER. ISSUING INSTANTLY OBEYED COMMANDS AS YOU PILOT THE CORVETTE CONVERTIBLE THROUGH BREEZE AND SUNSHINE.



From the V8 engine with Tuned-Port Injection to the computerized Bosch ABS II anti-lock braking system to the sleek fiberglass shell, the 1987 Corvette is a showcase of engineer- to assure that every contact point will have a ing technology. This revolution extends to the perfect match. Corvette production line, where the quality of assembly is the most crucial concern.

of the world's most modern automotive assem- the highest in the industry. The alignment of bly plants. It encompasses a million square suspension componentry is computer-measured. feet-23 acres under one huge roof. Only one Computers are utilized for parts allocation. car is manufactured-Corvette. Both Coupe manpower distribution and inventory control. and Convertible are built at this location, Just Computer-generated inspection tickets follow as outstanding as the complex itself are the a new Corvette throughout the assembly propeople who work there. Each one-engineers, cess. The advanced technology even extends technicians, managers and assembly workers- to computer-controlled robot painters that is a dedicated craftsman, committed to excel- apply. Corvette's consistently thick and bril-

The key to the Corvette assembly operation is part of the paint process as well. is precision. Precision made possible by a cally, applying 142 welds in 97 seconds.

beauty while computerized instruments mea-

Then, the chassis, drive train and suspension are married to the body via a hydraulic "towveyer." This interlocking system is designed

To ensure such precision at all phases of assembly, the application of computer tech-The Bowling Green, Kentucky, facility is one nology during Corvette production is among lence in the production of America's sports cars. liant finish. Meticulous wet and hand sanding

In addition to this high level of technology match check frame which serves as a full-size there's something else evident when one visits blueprint against which structural parts are the Corvette assembly facility, something less checked to within minute tolerance limits. Pre-quantifiable that sets the Corvette factory and cision delivered by a two-stage robot welder - its people apart. Perhaps it's the knowledge which builds the Corvette uniframe automati- that each individual's work is being compared to the best the world has to offer Certainly it's Similarly advanced techniques are applied the commitment to excellence only men and to the production of Corvette's solid fiberglass women can make. Maybe it's good, old-fashioned body. These methodologies provide smooth American pride. In any case, it's clear there's affection for this car that goes beyond normal sure body panels to specified tolerances on boundaries. In fact, several ongoing programs help keep Corvette quality high. For example,



"The Morning Audit" brings salaried and hourly BUILDING THE CORVETTE IS employes together to examine vehicles in detail and suggest quality improvements. After-work "Employee Awareness Groups" discuss procedures and conditions relating to production, keeping workers and the car they make in close contact. Then, four nights a week, rotating groups of employes take brand-new Corvettes home so they can experience what buyers of the vehicle do.

These are the kinds of efforts that are helping the Corvette team build one of the best production sports cars that advanced design and assembly methods can create.

A COMPLICATED AND DEMANDING PROCESS. A FEW IMPORTANT PHASES ARE SHOWN HERE. CLOCK-WISE FROM EACING PAGE: A TWO-STAGE WELDER BUILDS THE UNIFRAME, COMPUTER-IZED INSTRUMENTS MEASURE BODY PANELS TO CLOSE TOLERANCES, WET AND HAND SANDING ARE PART OF PAINT APPLICATION. POINT-CHECK INSPECTION HELPS ENSURE THAT BODY PANEL ASSEMBLY MEETS

Corvette's comprehensive list of standard features includes items that are optional or not available on competitive sports cars features P255/50VR 16 Goodyear unicosting much more. Whether it's working at the limit in sanctioned competition or mounted on 16" aluminum alloy wheels cruising proudly through town, a distinguished combination of functional luxury and race-car performance has been achieved.

AIR CONDITIONING

A perfect driving environment is the goal. In addition to standard air conditioning, every Corvette is equipped with tinted elass power windows, side window defoegers and convenient driver-side, doormounted windshield wiper and washer HALOGEN FOG LAMPS controls.

RETRACTABLE HEADLAMPS

lamps are hidden beneath the low sleek hood line. At night they flip forward 162.5 degrees, preserving the aerodynamic shape of Corvette

ANTI-THEFT FEATURES

The core of the sophisticated Vehicle Anti-Theft System (VATS) is a special module with a resistor decoder and an ignition key with a pellet of specified resistance. Other equipment includes a special starter Corvette adjusts to your driving style with relay and lock cylinder.

When the key is placed in the ignition, lock cylinder contacts "interrogate" the resistance. The VATS module then decodes Four-speed automatic overdrive transthe key and, if compatible, closes the starter mission with lockup torque converter relax which in turn allows the car to contributes to impressive performance be started.

Code information cannot be retrieved 4-SPEED MANUAL TRANSMISSION sophisticated electronic techniques.

starter interrupt are also standard on every 1987 Corvette.

ANTI-LOCK BRAKES

The standard Bosch ABS II anti-lock brake releases braking pressure briefly, then reapplies it when traction is regained.

GOODYEAR VR50 TIRES

The standard tire and wheel combination directional steel-belted radial tires with functional turbine-blade design and anti-theft nuts

ROOF PANEL STORAGE (COUPE)

The removable one-piece roof panel combines the security of a closed car with the exhilarating effects of an open roadster. There is no T-bar. The roof is removed using a ratchet wrench designed for this application. The panel may then be stored within the car in a lockdown position.

The integral halogen fog lamps make driving under adverse conditions easier. During daylight hours the retractable Operation is independent of the headlamps. CLOTH BUCKET SEATS

> The high-back cloth bucket seats are contoured to provide the feeling of individualized fit and comfort. Manual back angle adjustment is offered. Other interior features include a leather-wrapped steering wheel, dual rear lockable stornee compartments." lighted visor vanity mirror.

TILT-TELESCOPIC STEERING WHEEL a steering wheel that tilts and telescopes.

4-SPEED AUTOMATIC TRANSMISSION

plus low-RPM highway cruising

from the VATS module with even the most If you prefer, choose the smooth-shifting manual 4-speed, with an electronic auto-An anti-theft horn alarm circuit and matic overdrive feature in 2nd, 3rd and 4th gear, which is available at no extra cost. Gear ratios are chosen to deliver exceptional performance.

CORVETTE NEWS

system uses an electronic sensor to monitor A three-year complimentary subscription rates of wheel rotation during braking. If goes to every Corvette buyer. This publia wheel begins to lock up, the control unit cation keeps owners up to date on their favorite sports can



CORVETTE'S AIR CONDITIONING ALLOWS YOU TO MAINTAIN A PERFECT DRIVING ENVIRONMENT



RETRACTABLE HEADLAMPS FLIP FORWARD 162.5 DEGREES FROM BENEATH THE HOOD





VATS EMPLOYS A DECODER AND IGNITION GOODYEAR EAGLE GT P255/50VR 16 KEY WITH A PELLET OF SPECIFIED RESISTANCE.

UNIDIRECTIONAL RADIAL TIRES.



IN THE REAR COMPARTMENT OPENING CORVETTE UP TO SUN AND STARS.



THE FOUR-SPEED MANUAL WITH ELECTRONIC OVERDRIVE IS AVAILABLE AT NO EXTRA COST.



THE FOUR-SPEED AUTOMATIC OVERDRIVE WITH LOCKUP TOROUE CONVERTER IS STANDARD.

CORVETTE SAFETY FEATURES OCCUPANT PROTECTION

- · Manual lap/shoulder safety belts for includes visual and audible warning handles system)
- · Safety armrests · Energy-absorbing steering column
- · Energy-absorbing instrument panel
- · Energy-absorbing front seat-back tops ACCIDENT AVOIDANCE · Laminated safety windshield glass and tempered safety side and rear window
- glass (except Convertible plastic rear window)
- · Safety interlocking door latches
- driver and passenger (driver's side . Passenger-guard inside door lock

 - · Integral head restraints, driver and right

front passenger

- · Side marker lights and reflectors
- · Parking lamps that illuminate with head-
- · Four-way hazard warning flasher
- · Rackun lights · Center high-mounted stop lamp
- Directional signal control with lanechange feature
- · Windshield and side window defroster. windshield washer and dual-speed
- · Inside rearview mirror with vinylbonded glass
- · Dual electric remote outside rearview mirrors, convex on right-hand side
- · Brake system with dual master cylinder and warning lights
- · Starter safety switch
- · Low-glare finish on instrument panel top, inside windshield moldings, wiper arm/blades, metallic steering wheel
- · Illuminated heater and defroster con-
- · Illuminated wiper controls on driver's door
- · Tires with built-in tread wear indicators.

THEFT DETERRENCE

surfaces

- · Audible reminder for ignition key removal.
- · Theft-deterrent steering column lock
- · Visible vehicle identification number
- · Vehicle Anti-Theft System (VATS)
- · Audio alarm system with starterinterrupt feature · Locking roof panel with theft-deterrent
- mount (Coupe only)
- · Theft-deterrent wheel lugs.





A DECRAFF, COCKRIT, STYLE HICH, BACK CONTOUR SEATS WITH MANUAL BACK ADJUST MENTS AND BOLSTERS TO PROVIDE SIDE SUPPORT ARE UPHOLSTERED IN ATTRACTIVE



OPTIONAL EQUIPMENT



LEATHER SPORT SEATS INCLUDE SIX-WAY POWER ADJUSTMENTS.

Tailor Corvette to your personal specifica- adjustment that allows you to change your long list of available options includes:

Z51 PERFORMANCE HANDLING PACKAGE

Z51, Corvette's uncompromised performance package, features 16" x 9-1/2" a digital temperature adjuster. Once set, wheels,* higher rated monoleaf fiberglass springs, Delco/Bilstein gas-pressurized shock absorbers, stabilizer bars and selected control-arm bushings, quicker steering ratio, engine oil coolex radiator cooling boost fan and heavy-duty radiator. Available Corvette Conne with manual transmission only. Recommended for specialized use.

Z52 SPORT HANDLING PACKAGE

For the serious enthusiast, the new Z52 package includes 16" x 9-1/2" wheels* (std. on Convertible), Delco/Bilstein gaspressurized shock absorbers and quicker steering ratio. Z52 also features an engine oil cooler, radiator cooling boost fan and heavy-duty radiator. Available Coupe immediately Convertible January 1987. DELCO/BILSTEIN SHOCKS

A gas-charged Bilstein shock at each wheel contributes to a comfortable ride while providing excellent handling characteristics. Standard on Z51 and Z52 packages. HEAVY-DUTY COOLING EQUIPMENT These items, which are available separately. include an auxiliary cooling fan, engine oil cooler and heavy-duty radiator. Standard with handling packages or with manual transmission.

LEATHER SEAT TRIM Leather may be specified as the covering on standard Corvette seats. LEATHER SPORT SEATS

The Sport seat is upholstered in genuine leather and features power adjustments of upper side bolsters, lumbar support and back-angle adjustment, Six-way power seats are also available for either standard or Sport driver and passenger seats. ELECTRONIC SPEED CONTROL Electronic speed control includes a conve-

nient resume-speed feature and a speed

tions by selecting optional equipment. The speed in precise one-MPH intervals. Stalk-mounted control.

ELECTRONIC AIR CONDITIONING

This electronic-control system features easy-to-use color-coded push buttons and the temperature is automatically maintained. An optional display registers outside air temperature, helping you monitor ambient weather and road conditions.



DELCO/BILSTEIN GAS-FILLED SHOCK ABSORBERS CONTRIBUTE TO RIDE AND HANDLING.



ELECTRONIC SPEED CONTROL INCLUDES A HANDY RESUME FEATURE.



ELECTRONIC AIR CONDITIONING FEATURES FINGERTIP PUSH-BUTTON CONTROL.

MUSIC THAT'S TUNED TO YOUR CORVETTE


svallable in a production automobile. Ing was considered. Each speaker has for five seconds each. Digital VF (Vacuum around sound. Delco-Bose performance rivals the most its own built-in equalizer network. expensive home stereos, because it is tai- Other features of the system include: frequency are featured. Dynamic Noise

lored exactly to the acoustics of Corvette. AM/FM stereo reception with automatic Reduction (DNR**) and Dolby* Sound vehicle.

Fluorescent) readouts of time or radio "Dolly" is a registered trademark of Dolly Laboratories.

DELCO-BOSE SOUND SYSTEM FOR The Delco-Bose Music System is com- adjustment. Circuits adjust reception. Noise Reduction reduce high-frequency posed of a receiver and four bass reflex assuring maximum sensitivity to weak "hiss" on AM, FM and cassette tape. The amplifier/speaker enclosures engineered stations without danger of overload on integral tape player features auto-reverse The Delco-Bose stereo, available as a fac-specifically for window placement, angle strong signals. Electronic tuning with Seek and music search features. Also included: tory option in the 1987 Corvette, offers and density of glass, seating position and and Scan features. Seek button changes 100 watts of power. Four separate sound so real that it's been rated by cockpit configuration. Even the textural stations electronically Scan button auto-speaker enclosures. Separate treble and experts as one of the best stereo systems composition of the unholstery and carpet-matically samples all clear radio signals bass controls. Computer-balanced, wrap-

> *Tire chains should not be used on Corvettes with 915" rear wheels because they may cause damage to this



DELCO-BOSE MUSIC SYSTEM.



SHOWN PRECEDING PAGE CORVETTE IS THE CAR TO BEAT IN SCCA-SANCTIONED SHOW-ROOM STOCK COM-PETITION, THESE 6-12- AND 24-HOUR ENDURANCE RACES OFFER PROOF OF CORVETTES WORLD-CLASS CREDENTIALS.

THE EXOTIC GTP-

SERIES CORVETTE PUTS TECHNOLOGY TO THE TEST ON THE WORLD'S RACETRACKS POWER IS SUPPLIED BY A TURBOCHARGED V6.



upheld in spectacular fashion in a variety SCCA races in 1985. of racing events by the current-generation

ROOM STOCK RACING

by the Sports Car Club of America, has Tuned-Port Fuel Injection, the confidence for 1987 it remains the car to beat. become one of the most popular forms of of a Bosch ABS II anti-lock braking system motorsport competition in the U.S.A. And and the tenacious road-holding capability it is everything the name implies. The cars of four-wheel independent suspension are production vehicles, modified only with mated to Goodyear Eagle VR50 16# tires. SCCA-mandated safety equipment, This kind of racing, in 6-, 12-, and 24-hour Corvette in an unlimited production class.

running Corvette tradition. It is a tradition modified Corvette finished 1-2-3 in all six built specifically to loosen Corvette's

had just too much of a performance advan-CORVETTE DOMINATES SCCA SHOW- tage over its nearest competitor, the Porsche to overcome the proven performance 944 Turbo. After all, Corvette specifications thunder of a world-class champion. Corvette Showroom-stock road racing, sanctioned include the legendary 5.7 Liter V8 with topped its competition again in 1986, and

Modified SCCA rules placed the 1986

Capturing the checkered flag is a long- bilities on the racetrack. The specially reworked 944 Turbo that the Porsche folks strangiehold on America's most prestigious. Last year SCCA officials decided Corvette meaningful racing series.

The rules-shuffling hasn't been enough

THE PRODUCTION-BASED GTO-SERIES CORVETTE

GTO-series racing, sponsored by the International Motor Sports Association, is limited to production-based cars with engines displacing more than 3.0 liters. specifications than others

While every other competitor in this fast-paced series, including Porsche and Toyota, discards its standard chassis in favor of a tube-type racing frame, Corvette doesn't have to. Corvette's stock uniframe (modified for racing) offers the lightweight strength required to compete successfully against some of the world's finest racing machines.

Under the hood of every GTO-series Corvette, a race-prepared version of the small-block V8 proves yet again that Corvette has what it takes to go the distance.

WHILE MOST COMPET-ITORS USE STOCK-APPEARING BODYWORK OVER TUBULAR RACE FRAMES, THE GTO-SERIES CORVETTE FEATURES A PRO-DUCTION CHASSIS MODIFIED FOR RACING.



THE EXOTIC GTP-SERIES CORVETTE the strongest, lightest combinations of include four valves per cylinder, twin turbo-The International Motor Sports Association's materials known.

(IMSA) GTP series features all-out race cars. Once again, Corvette is participating with a specially prepared aerodynamic mid-engined car. In its first 1986 outings, the GTP Corvette has earned pole positions and to future production Corvettes.

two overall victories, establishing itself as CORVETTE INDY: a formidable competitor. But that's not the real reason this racing Corvette exists.

Herb Fishel, Director, Chevrolet's Special Products Group, describes the role of the GTP this way:

> There are many similarities between production and pure performance machinery, particularly in the areas of design, construction and the application of high technology. Our intent is to turn the knowledge gained through on-track experience into viable applications for our production vehicles. Thus the rationale for the GTP Corvette.

In addition to a turbocharged V6 developing over 770 HP, the GTP features an aluminum honeycomb-type frame for high

This incorporation of advanced materials. engine technology and aerodynamics not Full-time four-wheel drive is featured. only makes the GTP Corvette a contender 4-WHEEL STEERING on the world's racing circuits, it puts tech- The steerable rear wheels, added to the nology to the test so that it may be applied conventional steering on the front wheels,

THE SHAPE OF TECHNOLOGY TO

COME The critics agree. The shape of Corvette fighter aircraft, Corvette Indy replaces Indy introduces a new milestone in auto- mechanical linkages with electronic conmotive design. Yet this prototype Corvette trols for precise throttle response. simply to impress crowds at auto shows.

Corvette Indy is Chevrolet's latest imagination vehicle for studying new engineering and design concepts. We do these cars as much for inspiration as experiment, because it gives our people a chance to turn their dreams into reality.

CORVETTE INDY POWER

strength and light weight. Body panels are powered by a version of the Indy engine, leading edge of automotive performance. constructed of high-strength carbon fiber a 2650-cc dual overhead cam V8 designed fabric bonded with epoxy resin, one of for Indianapolis 500 competition. Features That, and a lot of driving fun.

chargers and dual intercoolers.

4-WHEEL DRIVE

provide enhanced maneuverability at low speeds and excellent high-speed handling. DRIVE-RY-WIRE

In a system similar to those used by modern

On slippery roads, or when power is applied

Don Runkle. Chevrolet Chief Engineer, too abruptly, the traction control unit limits throttle, providing maximum usable torque. ACTIVE SUSPENSION

The Corvette Indy is designed to demonstrate a radical new suspension system that employs microprocessor technology and hydraulic controls to eliminate conventional springs, shock absorbers and stabilizer bars.

The Corvette of tomorrow will take new shapes. The technology will move forward. As its name implies, Corvette Indy is And Corvette will always remain at the

That's the whole idea behind Corvette.



COPVETTE INDVIS MORE THAN A STYLING EXERCISE ITS ADVANCED TECHNOLOGY INCLUDES 4-WHEEL STEERING, COMPUTER-TRACTION CONTROL. AND "ACTIVE" SUS-PENSION

IMPORTANT: A WORD ABOUT THIS CATALOG

We have tried to make this catalog as comprehensive and factual as possible. However, since the time of printing, some of the information may have been updated. Also, some of the equipment shown or described throughout this catalog is available at extra cost. Your dealer has details and, before-ordering, you should ask him to bring you up to date. The right is reserved to make changes at any time, without notice, in prices, colors, materials, equipment, specifications and models. Check with your Chevrolet dealer for complete information.

A WORD ABOUT ENGINES

Chevrolets are equipped with engines produced at facilities operated by GM car groups, subsidiaries or affiliated companies worldwide.

A WORD ABOUT UPDATED SERVICE INFORMATION

Chevrolet regularly sends its dealers useful service bulletins about Chevrolet products.

To get ordering information, call toll-free name 1-800-511-4123

A WORD ABOUT ASSEMBLY. COMPONENTS AND OPTIONAL EQUIPMENT IN THIS CHEVROLET

The Chevrolet described in this catalog is assembled at a facility operated by General Motors. The vehicle incorporates thousands of different components produced by car groups and by various component divisions of General Motors and by various suppliers worldwide to General Motors. From time to time during the manufacturing process, it may be necessary, in order to meet public demand for particular vehicles or equipment, or to meet federally mandated At your Chevy dealer's, financing or leasemissions, safety and fuel economy requirements, or for other reasons, to produce as saying GMAC. Chevrolet products with different compo- LETS GET IT TOGETHER... nents or differently sourced components BUCKLE UP

Chevrolet monitors product performance than initially scheduled. All such compoin the field. We then prepare bulletins for nents have been approved for use in Chevservicing our products better. Now you can rolet products and will provide the quality get these bulletins, too. Ask your dealer. performance associated with the Chevrolet.

> With respect to extra-cost optional equipment, make certain you specify the type of equipment you desire on your vehicle when ordering it from your dealer. Some options may be unavailable when your car is built. Your dealer receives advice regarding current availability of options. You may ask the dealer for this information. GM also requests the dealer to advise you if an option you ordered is unavailable. We suggest that you verify that your car includes optional equipment you ordered or, if there are changes, that they are acceptable to you.

ing your new Corvette can be as easy





Greate class are careful; claven and panataking) applied. The fully automated paint system is one of the most advanced in the world. The entire paint operation is contained in a dust-free claven conscionment in a foreign airborne containment positive to keep foreign airborne containment and. Base coulclear coal entaineds are applied in a four-step process that results in witeman finishes that display a deep, permitting shine.



The care and quality that characterize Corvette are evident in the richness of the labrics. Choose the standard cloth, optional leather or ultimate optional leather adjustable Sport brockets and rediscover a finely crafted environment every time you drive.

Standard reclining seats feature integral head restraints and wool-pad comfort liner. Cloth uphoistery is standard: leather* is optional.



Standard reclaining was, Available in Placlineaus, Crigoline, Crigo Saddie elekt. Cydorad Joshov mad malable in their or alrease nobes.

The optional adjustable Sport seats, which include integral head nestraints and wook-yad combot these are biomechanical support systems designed to cradie the human body. These fine seats are available in leather* only Bodi where and passenger seats seature power adjustments in lumbar bockrest, and belster areas to provide a high degree of adaptability to practically every human for the property of the processing over human forms.



Optional leather Sport seat. Available in Blue, Bronze, Graphite, Gray Saddle, Red.



STANDARD FEATURES

POWER TEAM/CHASSIS/ MECHANICAL

- Aluminum intake plenum, tuned crossover runner manifold
- Automatic transmission with overdrive fourth gear
- Cast alloy aluminum wheels, steel compact spare
- Center high-mounted stop lamp
- Computer Command Control
 Delco Freedom Plus II battery with sealed
- side terminals

 Electric engine coolant fan
- Electric in-tank, positive-displacement rollervane fuel pump
- Exclusive monoleaf glass-epoxy composite transverse front and rear springs
- Forged aluminum front and rear suspension arms
- Full independent four-wheel suspension
 High Energy lgnition system
- Hydraulic roller valve lifters and exhaust valve rotators
- · Limited-slip differential
- Magnesium engine valve covers
- Poly-vee single-belt engine accessory drive belt.
- Power anti-lock disc brakes at all four wheels with 11.5" rotors and finned aluminum caliners
- · Power rack-and-pinion steering
- P255/50VR-16 steel-belted radial ply blackwall tires (Conductor Page) VP5(t)
- wall tires (Goodyear Eagle VR50) • Side lift tack
- Stainless steel exhaust manifolds and freeflow mufflers
- Sturdy uniframe body structure 100% galvanized and dip-painted
- Vehicle anti-theft system with encoded key
- 5.7 Liter V8 engine with TP1 (Tuned-Port Fuel Injection) and aluminum cylinder heads.

EXTERIOR

- · Automatic power antenna
- Body-color front and rear soft facia with
- integral front air dam
 Concealed wipers with integral washers in
- wiper arms
- Corrosion-resistant fiberglass body panels
 Designed-in body side molding
- Designed-in body side molding
 Dual electric remote-controlled Sport mirrors
- Dual quartz-halogen fog lamps in grille opening
- Energy-absorbing bumper systems
 - Frameless rear hatch glass with three remote releases (coupe)
- Front cornering lamps; rear cornering lamps
 Front lender lowers
- Full-tilting clamshell-type hood
- Power-operated quartz-halogen retractable
- headlamps
 Single removable roof panel (coupe)
- · Tinted and flush-mounted glass
- Manual folding top with lightweight framework (convertible).

INTERIOR

- Acoustical insulation package
- · Air conditioning
- Center console with shifter, coin tray, cigarette lighter and ashtray; power window, radio, air conditioning controls and electric mirror
- controls

 Contour cloth bucket seats with lateral sup-
- port and back-angle adjustment

 Day/night rearview mirror with integral map
- lamps

 Deep-twist floor and stowage area carpet
- Driver information system, Includes instant MPH, average MPG and range in digital
- readouts

 AM/FM ETK™ stereo radio w/Seek and Scan, digital clock and four speakers*
- Headlamp-on reminder
- High-intensity interior lamps

- · Illuminated RH visor vanity mirror
- Intermittent windshield wipers
 Leather-wrapped steering wheel
- Luggage compartment concealment roller shade (coune)
- · Manual inside hood release
 - · Power windows
 - Rear underfloor storage compartments (2) (coupe)
 - Side window defogger
 Soft-padded and carpeted door panels
 - Tilt-Telescopic steering wheel
 - Twin underhood lamps
 - Ultracontemporary instrument panel exturing electronic liquid-crystal instrumentation with multi-colored analog and digital display. Readouts include: speedometer. 6,000-RPM tachameter, fuel level, oil pressure, oil temperature, voltmeter Conventional readouts for ochameter turn signals and highreadouts for ochameter turn signals and high-
 - Underdash courtesy lamps.
 - *May be deleted for credit.

OPTIONAL EQUIPMENT (AVAILABLE AT EXTRA COST)

FACTORY-INSTALLED OPTIONAL

- EQUIPMENT

 Air Conditioning, Electronic Control
- Axle: Performance Ratio (automatic transmission only)
- Defogger System. Includes rear window defogger and heated outside rearview mirrors (coupe only)
- Door Lock System, Power
 Engine Oil Cooler
- Engine Oil Gooler
- Heated Outside Rearview Mirrors (conv. only)
- Mirror Driver's Side (illuminated visor vanity)
 Paint, Custom Two-Tone (coune only)
- Radiator Cooling Boost Fan
- Radiator, Heavy-Duty
- Radio Equipment, Delco: Electronically tuned

(Continued other side.)

AM/FM stereo radio w/Seek and Scan, cassette tape and digital clock. Includes power antenna

Delco-Bose Music System, electronically tuned AM/FM stereo w/Seek and Scan, cassette tape and digital clock

- Radio Delete (for credit; deletes std. radio and speakers)
- Roof Panels: (coupe only)
 Blue Tint, Transparent Lift-Off
- Bronze Tint, Transparent Lift-Off Dual Removable (transparent and fiberglass)
- Seat Equipment:
 Leather reclining bucket seat* with integral
 based materials.

head restraint Seat, Power, Six-Way, Driver's side Seat, Power, Six-Way, Passenger side (requires power driver's seat) Leather reclining Sport bucket*

- Speed Control, Electronic. With resume speed
- Stapension Equipment: 251 Performance Handling Package, Includes Delco/Blistens Stocks (245/07/64 files, selected special lower control arm bushings, heavy-duly front and rear grafting and subtilizer base, fusiratio steering, power steering oil cooler, engine oil cooler, beny-duly cooling, relation boost fin and '07-8-11/2" wheels front and rear (Available coape only, requires manual transmission, 307 ack).
- Suspension Equipment, 252 Sport Handling Package, Includes 16" x 9-1/2" wheels front and rear. Delco/Bilstein shocks, fastratio steering, engine all cooler, radiator cooling boost fan, heavy-duty radiator (Avail-

able coupe immediately, convertible after January 1987.)

- · Shock Absorbers: Delco/Bilstein
- Transmission: 4-speed manual with overdrive**

*Seat shell is molded of man-made materials. †Tire chains should not be used with 9-1/2" wheels because they may cause damage to the vehicle.

**No-cost option.

DEALER-INSTALLED ACCESSORIES Cloth, Polishing

Compass Guard, Splash Lamp, Spotlight

ENGINE SUSPENSION-FRONT 5.7 Liter (350 Cu. In.) V8 with Tuned-Port TYPE AND DESCRIPTION Fuel Injection Block: Cast iron alloy Pistons: Impacted cast aluminum Camshaft: Cast iron alloy Valve lifters: roller-type Bore: 4.00" Stroke: 3.48" Horsepower: 240 net @ 4,000 RPM Torque: 345 lb.-ft. @ 3.200 RPM Recommended Fuel: Unleaded Premium Fuel Anti-knock Index (R+M) 93 Oil Filter System: Full flow Crankcase Capacity (qt.): 4 (less filter) Air Cleaner Type: Replaceable paper element, outside air pickup for cool, dense cylinder charge Fuel Pump: Electric (in tank) Fuel Tank Capacity (in gallons): 20 Exhaust System: Dual TRANSMISSIONS Standard 4-speed automatic with overdrive and high-stall torque converter. 1st- 3.06-1 2nd: 1.63:1 3rd: 1.00:1 4th: 0.70-1 No-cost-option 4-speed manual with computer-controlled overdrive in 2nd, 3rd and 4th pears AXLE RATIOS:

conv.); 3.07:1 (opt.)

Manual: 3.07:1 (std.) SUSPENSION-GENERAL

MAKE: Base-Delco

Optional-Delco/Bilstein

Independent, forged aluminum upper and lower control arms and steering knuckle, transverse monoleaf spring and steel stabilizer, spindle offset. Spring Type and Material: Monoleal, filament-wound glass-epoxy composite. SUSPENSION-REAR TYPE AND DESCRIPTION Independent 5-link design with toe and camber adjustment, forged aluminum control arms, knuckles and struts: transverse monoleaf spring steel tie-rods and stabilizer. Tubular U-jointed drive shafts. Spring Type and Material: Monoleaf. filament-wound glass-epoxy composite. BRAKES DESCRIPTION Aluminum caliper with nodular iron reaction bracket; pad reaction through bracket. Self-adjusting. TYPE Front: Disc with sliding-head caliper, low drag. Rear: Disc with sliding-head caliper, low Special Valving: Proportioning-integral with master cylinder. Power Brakes: Standard. Anti-Lock Braking System: Electronic 4-wheel, 3-channel (standard), Effective Area cm2 (in2): 174.0 (27.0) front: Automatic: 2.59:1 (std. coupe, 2.73 std. 117.9 (18.3) rear. Gross Lining Area cm2 (in2): 174.0 (270) front; 117.9 (18.3) rear. Swept Area cm2 (in2): 622 (96.5) front: SHOCK ABSORBERS (front and rear) TYPE: Base-Direct, double-acting hydrau-565 (875) rear. Rotors, Outer Diameter: 11.5" lic with pliacell expansion bags: Deflected-Disc. (std. on convertible) TIRES AND WHEELS-STANDARD Optional-gas pressurized. TIRES Size (load range, ply): P255/50VR-16 B/W.

Type: High-speed steel-belted radial Eagle

VR50 unidirectional (Goodyear). Inflation Pressure (cold) for Max. Vehicle Load: 35 front and rear (PSI). Type and Material: Left-right aluminum allov road wheels with specific vent design. Rim (size and flange type): 16 x 8.5 front; 16 x 8.5 rear (16 x 9.5 front/rear on conv.) ATTACHMENT Type (bolt or stud): Stud. Number and Size: Five hex nuts, one antitheft. Spare: P155/80D-16, 16 x 4 steel wheel. Position: Horizontal under fuel tank. TIRES AND WHEELS (ontional Z51 and Z52 Handling Packages) Size (load range, ply): P255/50VR-16 B/W. Type: High-speed steet-belted radial Eagle VR50 unidirectional (Goodyear). Wheel (type and material): Left-right aluminum alloy road wheels with specific vent design. Rim (size and flange type): 16 x 9.5 front: 16 x 9.5 rear.* Spare Tire and Wheel: T155/80D-16 (aluminum 16 x 4 wheel with Power Seat Option RPO AG9). STEERING Power: Standard. Adjustable Steering Wheel: (Standard) Black-leather-wrapped two-spoke steering wheel; Tilt and Telescopic. Turning Diameter: 40.4 ft. Steering Type: Alloy rack-and-pinion. Overall Ratio: 15.5:1 base; 13.0:1 Z51 and Z52 Handling Packages. ELECTRICAL-SUPPLY SYSTEM BATTERY Make: Delco Model: 75-630 Voltage: 12 volts (Continued other side.)

Amps at 0°F Cold Crank: 630 cold-cranking amps (CCA)

Minutes, Reserve Capacity: 90 Location: Engine compartment directly behind left wheel opening.

ALTERNATOR
Type and Rating: 105 amps.

Type and Rating: 105 amps.

ELECTRICAL—Starting System

STARTER MOTOR

Current Drain at 0°F: 350 amps. ELECTRICAL—Ignition System. Type: High Energy Jenition.

Coil: Integral with distributor. SPARK PLUG Make: AC

Model: FR3LS Gap: .81mm (0.035 in.)

BODY STRUCTURE

Integral perimeter-frame birdcage forms unitized body structure. ANTI-CORROSION TREATMENT

All-encompassing corrosion protection including extensive use of aluminum; galvanization; use of specially treated fasteners; austentitic stainless steel or specially coated brackets, clamps, clips and braces; use of

aluminized steel.
MISCELLANEOUS INFORMATION
Type of Finish: High-solids acrylic ename!

with final clear coat. HOOD

Hinge Location: Front.

Hatch Type: Hinged clamshell hood. Hatchback Lid: Features dual gas struts, electric release (each door and console glove

bax). FRAME

FRAME
All-welded steel-body-frame construction,
100% galvanized.

DIMENSIONS AND WEIGHTS EXTERIOR Width: 71.0"

Front Tread: 59.6" Rear Tread: 60.4"

Wheelbase: 96.2" Overall Length: 176.5"

Height: 46.7" (46.4" conv.) Minimum ground clearance: 4.7"

INTERIOR Head Room: 36.4" (36.5 " conv.)

Leg Room: 42.6" Shoulder Room: 54.1"

Hip Room: 49.3" Cargo Volume: 17.9 cu. ft. (6.6 cu. ft., conv.)

Gurb Weight: 4-speed manual: 3,216 lbs., (3,279 lbs., conv.)

Automatic: 3.225 lbs. (3.239 lbs., conv.) Includes standard equipment as designed with oils, lube, coolant and 20-gallon fuel tank filled to capacity.

*Tire chains should not be used with 9½-inch rear wheels because they may cause damage to this vehicle.

SUSPENSION I-COMPONENTRY

At bottom, the exspension is a weight and energy management system. It must be a consistent reactions in circumstances that constantly change. It must transmit the weight of the car to the wheels, but must seam the stalls in the center of gravity weight do not overshelm the metion of the lines. In the content of the lines in the content of the gravity wheels about the energy developed when the car goes over bumps and largulatines, but in must alsoft the energy developed when the car goes over bumps and largulatines, but in must also that the subject reliase to settle dam after a bump or so rigid that the driver and inseasoners ded taltered.

Enginees who work on Coxette have been seeking the optimum system for our 50 years. Throughout, they faced such questions as their many pounds of weight sidt should parduce how much deflection at the springs? It alook allowfrees of coulter change? If alook aloosters electory as a certain run, should they content at the same or an audier rate? How to minimize "toe" changes at the rare wheels when accessingly. When there are when the accessingly when they will deep only? With driver passenger and language."

The Corvette resolution is a mixture of the standard (but what a standard) and the unique. Up from, the suspension consists of upper and lower A-arms, the standard way in Formula race cans for years.

Despite their apparent simplicity, double A-arms are not the easy way. They involve more pieces, more connections and more placeies (that's why so many cars don't use them). They demand more of the engineer—more commitment, more midnight oil. They cost more. Yet, when executed properly, a double A-arm system in this type of application is well worth the effort.

At the rear, Corvette uses its own, proprietary five-link system, a system not replicated on any other car. The foundation of the sys-

tem is Corvette's composite-material (filament glass in epoxy matrix) spring that is attached behind the wheels. Next, upper and lower trailing arms (they "trail" rearward, from the body to the wheels) to locate the wheel in its foreand-aft position and to control "wheel hop" when accelerating and "nose dive" when braking. Then, a light but strong aluminum cross member to locate the wheels in their side-toside position, with additional tie-rods, one per side, to correct "toe" changes at the wheel as the suspension deflects ("toe" changes cause the rear wheels to create steering forces). The various elements join to the wheel carrier (hub) and body with resilient bushings that absorb a calculated percent of the energy they receive and transmit the remainder to the next piece.

SUSPENSION II—CAMBER, CASTER, TREAD AND TOE

Not so trivial trivia question: Why did horsedrawn freight wagons have dished wheels? Answer: So the weight of the lead would be carried to the middle of the iron tire surrounding a wheel, rather than beside it. In other words, the wagon wheels had camber.

This logical peculiarity of an old-time freight wagen illustrates the point that transferring weight from the body of a vehicle to the ground is not so simple as it may seem, and the compedities increase as the vehicle is faster and makes more maneurers.

Try another trivia question: Why do the wheels of a child's red wagon wobble while those on a bicycle do not?

Answer Because the weight is earried perpendicularly through the center of the wheels on the red wagon, while a bicycle frame directs weight ahead of the center of the wheel. In other words, a bicycle has caster.

Thus so commonplace a vehicle as a bicycle exploits sophisticated weight management to assure directional stability. So much more sophisticated, then, the system that manages four wheels on a heavier vehicle and achieves much higher speeds.

Consider what happens when a wheel goes over a bump. The old-fashioned beam front axle, still used on trucks or the rigid 'The' rear axle still used on most cars (but not Corvette) tips the opposite wheel up on edge, subtractive from its adhesion to the road

An independent system allows each wheel to respond independently to bumps and keets it perpendicular to the road surface as it does. But what about tread changes, particularly at the driving wheels?

Thend changes at the driving wheels show the vehicle from side to side as they occur. However, this lateral displacement can be contered by making the rear wheels steer to a minute degree. That is, with toe control.

Trivia again: What is the primary reason cars have springs: to give them a soft ride, or to keep their wheels on the ground?

Answer To keep their wheels on the ground. As a wheel transverse a bump, its weight (mass) is accelerated upward at a certain speed (velocity). The momentum energy (mass times wheel) of the wheel could reach several fundred pounds. Without a spring to absorb this energy, a small bump could lift the car right off the ground.

Accordingly, everything possible should be done to reduce the weight of the elements that are not supported by the springs. Low unsamm, weight means less momentum energy available to upset the car.

Thue or false: The center of gravity stays in the same place no matter what the car is doing.

False: The center of gravity shifts all over the place according to what the car is doing. The weight will shift. That's physics. However, the weight shift and—more important its consequences for traction can be controlled

(Continued other side.)

by the springs and suspension so that all tires allow the car to do what the driver wants.

Multiple choice: What function must occur exactly at the vertical center line of the wheel? a.) Braking: b.) Steering: c.) Both the above

Answer: c.
Physics question: Can two objects occupy

the same place at the same time?

Answer No.

Then how can steering and braking occur in the same place?

Answer: By careful design.

Now, stop and think about castee, cambee tread and "toe" and consider how all these must be controlled so that the thres don't lose traction as the car shifts its attitude and cent to make a stop and the stop and the castee how well a system works can be read in the exact specifications of a suspension system. However they can be read more easily in the record of performance.

Corvette's suspension allows up to 0.91g of lateral acceleration." That is, a Corvette stays on the road even when the sideways force on a tight curve reaches 3.000 pounds and when the deceleration force during braining uses above 1 and actually oecceles the weight of the car. If these numbers aren't enough, look at some others the number of times specially notified Corvettes have won

on the track.

TUNED-PORT FUEL INJECTION

Stoichiometric ratio—a good phrase that, useful to liven up party chatter. It refers to the proportion of ingredients that is optimum for a desired result.

The relevant subclaimenter male is the purpersion of air to gasoline for optimuming of the fine! In a gasoline reagine, the radio is 14.7 parts of all to one part of gasoline, the parts being measured by weight. For maximum power, you run richer-shoot 12.5:1—for allow increased spin, and more power is allow increased spin, and more power in allow increased spin, and more power in all weights simusts nothing per cubic hot while speaking weights allowed to some extremely procise mixing, even in around conditions.

But many conditions are not normal. Fur a cold engine—one left overnight—more thet is required for stoichtometry. Fur a hot engine, less fiel is required to maintain the 14.7:1 ratio. At higher elevations, the amount of fuel is adjusted to maintain stoichiotneury with the thin air.

The Robert Bosch Company of West Germany pioneered mechanical fuel injection for gasoline and diesel engines and has been a world leader for 50 years. Corvette uses Bosch injectors and mass air meter to feed its 5.7 Liter V8 powerpiant.

The system consists of an inlet air pienum, uned numers and eight hel hijectors mounted meet to the cylinders they serve. A ninth injector is used be enrichment during cold staring, Here, fuel is led to a channel in the inlet manifold and metered to the cylinders through small citilled bales.

Ready? Set? Go! The Electronic Control Unit reads engine speed from distributor signals and determines the right moment for the spark plues to fire. Meanwhile, it also monitors signals from the mass air-flow meter to calculate the fuel required to maintain the stoichiometric ratio for the current operating condition. Engine cold? Keep the injectors open milliseconds longer for a rich mixture. Foot on the gas pedal (as shown by throttle position sensor movement)? Keep the injectors open longer for maximum power. Foot off the gas pedal and the engine decelerating to a traffic light? Shut off fuel to the injectors completely to eliminate "coast-down" emissions. Air density low due to altitude? Reduce the amount of fuel to the cylinders. Whatever the operating mode, whatever the conditions. Corvette's Tuned-Port Fuel Injection allows the engine to maximize the output of power.

*Achieved no the test track by professional drivers. Goverthe Goupe equipped with 4-speed manual overtime transmission outland ZSI Performance Handling Package and 31(7) Louis with. THE HEARTBEAT OF AMERICA.
TODAY'S CHEVROLET.

